

RATINGS

Please note that if your boat is shown below, but without a rating, this means that we do not have one or more of the measurable data points required to calculate a rating. If you have a full set of data points supported by a copy of your class rules and or a measurement certificate please forward them to an SCHRS representative for inclusion on the site.

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	MGR	LB	TRAP	B27	SMS	SH	LF
2Win Sonic	1.291	2	105	4.31	4.3	2.3	9.9	7.3	2.3	3.9	9.5			2	B	1		
2Win Sonic Solo	1.272	1	103	4.31	4.3	2.3	9.9	7.3			9.5			1	B	1		
2Win Twincat 13 without Spinnaker	1.504	2	110	3.85	3.85	2.1	8.419	5.29	2.829	3.919				1		1		
2Win Twincat 15 Sport	1.239	2	125	4.6	4.58	2.3	10.5	7.3	3	4.75	11.5			2	B	1		
2Win Tyka	1.382	2	115	4.31	4.3	2.3	8.5	5.95	2.4	3.9	9.5			2		1		
A-Class Foils	0.978	1	75	5.49	5.49	2.3	13.94	9.03					0.955	1		2		0.04
A-Classic (straight/constant curve foils)	1.008	1	75	5.49	5.49	2.3	13.94	8.83					0.75	1		1		0.02
AHPC Capricorn F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
AHPC Taipan 4.9	1.080	2	102	4.95	4.95	2.34	14.658	8.02	4.176	4.912			0.56	2		1		
AHPC Taipan 4.9 Spinnaker	1.030	2	102	4.95	4.95	2.34	14.658	8.02	4.176	4.912	17.5		0.56	2		1		
AHPC Taipan 4.9 Solo	1.106	1	100	4.95	4.95	2.34	14.658	8.02					0.56	1		1		
AHPC Taipan 4.9 Solo Spinnaker	1.040	1	100	4.95	4.95	2.34	14.658	8.02			17.5		0.56	1		1		
Alado 18 Aileron	1.086	2	183	5.48	5.4	2.5	15.3	8.2	4.4	5.8	18.9			2	B	1		
Alado 18 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Bim 16 Double Spinnaker	1.161	2	103	4.96	4.94	2.3	13.26	8.25			13		0.645	2	B	1		
Bim 16 Javelin 16 Solo Spinnaker	1.028	1	100	5	5	2.3	14.93	8.13			17.5		0.645	1		1		
Bim 16 Javelin Double Spinnaker	1.124	2	103	5	5	2.3	13.95	8.82			17.5		0.645	2		1		
Bim 18 Class A (>100kg)	1.082	1	100	5.48	5.48	2.3	13.94	8.82					0.65	1	B	1		
Bim 18 Double	1.070	2	138	5.5	5.47	2.55	17.33	9.7			19.11		0.66	2	B	1		
Bim 18 Double Sloop	1.052	2	138	5.5	5.47	2.47	13.94	8.82	3.55	5	19.11		0.66	2	B	0		
Bim 20	1.025	2	183	6.09	5.9	3.01	21.59	10.23			19.6		0.62	2	B	1		
Bim Javelin 18 Hightech	1.014	2	130	5.5	5.5	2.5	20	10.3			20		1.02	2		1		
Bim Javelin 2 (not 18HT)	1.045	2	142	5.5	5.5	2.45	19.46	9.73			20		0.85	2		1		
Bimare X16 Double Spinnaker	1.130	2	107	5		2.38	13.94	8.64			14		0.95	2		1		
Bimare X16 Solo	1.099	1	103	5	5	2.38	13.94	8.64					0.95	1		1		
Bimare X16 Solo Spinnaker	1.047	1	104	5	5	2.38	13.94	8.64			14		0.95	1		1		
Bimare X16FPlus	1.033	2	117.7	5	5	2.5	15	7.915	3.7	5.065	17.5		0.95	2		1		
Bimare F16	1.039	2	125	5	5	2.5	15	8.1	3.7	5.64	17.5		0.9	2		1		
Bimare X4 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Blade 16 Double light (WS <123kg)	1.017	2	107	5	5	2.5	15	8.1	3.7	6	17.5		1.06	2		1		
Blade 16 Solo light (WS <119kg)	1.022	1	104	5	5	2.5	15	8.1			17.5		1.06	1		1		
C 4.8	1.288	2	130	4.8	4.46	2.3	12.12	7.22	3.1	3.8				2	B	0		

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SM	SSH	LF
C 4.8 Major	1.251	2	132	4.8	4.47	2.3	14.16	7.72	3.1	3.8				1	B	0		
Catapult	1.263	1	100	5	5	2.25	10	6.5					0.3	1	B	1		
Cirrus 16 Q F 16	1.043	2	136	5		2.5	15	8.1	3.7	5.1	17.5		1.1	2		1		
Cirrus 16 Q Solo F16	1.067	1	131	5	5	2.5	15	8.1			17.5		1.1	1		1		
Cirrus B1 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Cirrus Ecole	1.100	2	165	5.52	5.52	2.55	13.8	7.8	3.75	5.15	15		0.515	2	B	0		
Cirrus Energy Regate	1.115	2	150	4.88	4.88	2.55	13.2	7.3	3.45	5.08	16.5		0.94	2	B	1		
Cirrus Energy Regate Solo	1.147	1	148	4.88	4.88	2.55	13.2	7.3			16.5		0.94	1	B	1		
Cirrus Evolution	1.042	2	152	5.08	5.08	2.55	15.6	7.93	4.15	5.7	19.5		0.94	2		1		
Cirrus Evolution Solo	1.090	1	148	5.08	5.08	2.55	15.6	7.93			17.3		0.94	1		1		
Cirrus F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Condor 16	1.182	2	146	5	4.87	2.3	12.75	6.9	5	4.6			0.57	1	B	0		
Dart 16	1.301	2	150	4.8	4.8	2.3	11.71	6.99	2.573	4.258				1		1		
Dart 16 X Race Spinnaker	1.235	2	156	4.8	4.8	2.3	12.28	7.05	2.64	4.375	12.6			2		1		
Dart 18	1.215	2	140	5.46	5.214	2.29	12.92	7.42	3.376	4.042				1	B	0		
Dart 18 Cat Boat	1.232	1	137	5.46	5.214	2.29	12.92	7.42						1	B	0		
Dart 18 Spinnaker	1.169	2	142.5	5.46	5.214	2.29	12.92	7.42	3.16	4.5	12.9			1	B	0		
Dart 20	1.096	2	170	5.94	5.673	2.44	17.92	8.693	4.72	4.914				2	B	0		
Dart 20 TSX	1.105	2	208	5.94	5.673	2.44	19.042	8.963	4.985	5.901				2	B	0		
Dart 20 TSX Spinnaker	1.068	2	214	5.94	5.673	2.44	19	8.98	5.22	5.88	15.8			2	B	0		
Dart 6000	1.128	2	174	5.92	5.65	2.5	20.245	9			15.55			2	B	0		
Dart Hawk F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Dart Sting Double	1.345	2	125	4.54	4.336	2.13	11.42	7	2.4	3.7				1	B	0		
Dart Sting Solo (with jib)	1.254	1	126	4.54	4.336	2.13	11.396	7.169	2.463	3.8				1	B	0		
Dart Sting Solo (without jib)	1.360	1	123	4.54	4.336	2.13	11.396	7.169						1	B	0		
Diam 3 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Drake	1.028	2	200	5.46	5.46	3.81	16.81	8.42	4.35	6.01	20.64		0.95	2		1		
Falcon F16 Double	1.036	2	127	5	5	2.5	15	8.1	3.7	5.64	17.5		1.06	2		1		
Falcon F16 Cat Boat	1.058	1	125	5	5	2.5	15	8.1			17.5		1.06	1		1		
Falcon 16 Double light (WS <123kg)	1.017	2	107	5	5	2.5	15	8.1	3.7	6	17.5		1.06	2		1		
Falcon 16 Solo light (WS <119kg)	1.022	1	104	5	5	2.5	15	8.1			17.5		1.06	1		1		
Flying Phantom	0.898	2	160	5.5		3	18	9.2	5.5	6.646	23.1	59.81	2.3	2		1	0.04	
Flying Phantom Essentiel	0.951	2	170	5.52		2.55	17	8.53	4.5	5.339	18.659	59	1.45	2		1	0.04	
Flying Phantom Essentiel side racks	0.944	2	180	5.52		3.54	17	8.53	4.5	5.339	18.659	59	1.45	2		1	0.04	
Formula 16 Double	1.032	2	123	5	5	2.5	15	8.1	3.7	5.64	17.5		1.06	2		1		
Formula 16 Solo	1.048	1	119	5	5	2.5	15	8.1			17.5		1.06	1		1		
Formula 18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Goodall C2 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Goodall Viper Double	1.045	2	129	5	5	2.5	15	8.1	3.7	5.64	17.5		0.85	2		1		
Goodall Viper Solo	1.063	1	124	5	5	2.5	15	8.1			17.5		0.85	1		1		
Gwynt 14	1.251	2	87	4.16	4.12	2.1	10.85	6.68	2.68	3.83	13.72			2	B	0		

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SM	SSH	LF
Hawke Surfcat 7020	1.291	1	100	3.96	3.76	1.88	9.36	6.5	2.76	5					1		0	
Hawke Surfcat 7020 main only	1.466	1	100	3.96	3.76	1.88	9.36	6.5									0	
Hobie 13	1.581	2	95	3.91	3.62	2.11	7.88	5.93	1.9	2.97					1	B	0	
Hobie 14	1.414	1	109	4.25	4.08	2.34	11.224	5.95							1	B	0	SH
Hobie 14 race (with jib)	1.283	1	112	4.25	4.08	2.34	11.224	5.95	2.8	3.75					1	B	0	SH
Hobie 15	1.305	2	155	4.95	4.61	2.26	11.5	7.3	3.5	4.19					2	B	0	
Hobie 16	1.197	2	145.15	5.08	4.722	2.41	15.19	7.375	4.87	4.5					2	B	0	SH
Hobie 16 Easy	1.302	2	145	5.08	4.722	2.41	11.324	7.4	3.7	4.1					2	B	0	SH
Hobie 16 Spinnaker	1.146	2	151	5.08	4.722	2.41	15.19	7.375	4.87	4.5	17.65				2	B	0	SH
Hobie 17 (without wings)	1.212	1	149.7	5.23	5.104	2.44	14.84	7.925					0.38		1	B	0	
Hobie 17 (with wings)	1.199	1	157	5.23	5.104	3.05	14.84	7.925					0.38		1	B	0	
Hobie 18	1.090	2	181.4	5.52	5.388	2.44	16	7.65	6.32	5.7			0.57		2	B	0	
Hobie 18 Formula	1.081	2	190	5.52	5.388	2.44	17.47	8.32	5.72	5.15			0.85		2	B	0	
Hobie 18 Formula Spinnaker	1.031	2	190	5.52	5.388	2.44	17.47	8.32	5.72	5.15	20.3		0.85		2	B	0	
Hobie 18 Formula 104	1.058	2	195	5.52	5.388	2.44	17.47	8.32	4.1	4.8	20.3		0.85		2	B	0	
Hobie 18 Magnum (with wings)	1.095	2	200	5.52	5.388	2.8	16	7.65	6.32	5.7			0.57		2	B	0	
Hobie 18 SX	1.109	2	206.4	5.52	5.388	2.44	16	7.65	6.32	5.7			0.57		2	B	0	
Hobie 20 Formula	1.010	2	190.5	5.89	5.749	2.5	17.73	8.45	5.29	5.403	25		0.6		2	B	0	
Hobie 21	0.989	2	256	6.47	6.315	3.05	21.14	9.19	8.86	6.445			0.505		2	B	0	
Hobie 21 Spinnaker	0.943	2	262	6.47	6.315	3.05	21.14	9.19	8.86	6.445	29		0.505		2	B	0	
Hobie 21 Spinnaker (3 Crew)	0.982	3	262	6.47	6.315	3.05	21.28	9.11	7.98	6.6	29		0.505		2	B	0	
Hobie 21 Formula	0.942	2	242	6.47	6.315	3.05	21.15	9.28	6.99	6.08	27		0.85		2	B	0	
Hobie Advance	1.534	2	115	3.6		2.09	7.95	5.4	2.4	4.11	8.1				1		0	
Hobie Catsby	2.097	2	75	3.1		1.66	5	3.72	0.85	2.34							0	
Hobie Dragoon Club	1.476	2	114	3.91	3.75	2.2	9.5	6.08	2.2	4					2	B	1	
Hobie Dragoon Xtrem	1.410	2	114	3.91	3.75	2.2	9.5	6.08	2.2	4	10.3				2	B	1	
Hobie Fox F20	0.965	2	190	6.12	6.12	2.6	18	9.08	4.85	6.26	25		1.01		2		1	
Hobie FX One Cat Boat	1.086	1	148.5	5.23	5.23	2.55	14.99	8.03			17.5		0.97		1		1	
Hobie FX One Double	1.043	2	152	5.23	5.23	2.55	14.99	8.03	4	5.64	17.5		0.97		2		1	
Hobie FX Xtrem	1.045	2	155	5.23	5.23	2.55	15.06	7.97	3.85	5.7	18.99		0.95		2		1	
Hobie Getaway	1.242	1	204.12	5.04	5.04	2.34	13.703	6.858	3.019	4.572					1		0	
Hobie Max	1.135	2	156	4.9	4.9	2.5	13.926	7.425	3.7	5.16	18.6				2	B	1	
Hobie Max Youth	1.146	2	158	4.9	4.85	2.5	13.926	7.425	3.7	5.16	17				2	B	1	
Hobie Pacific (no Spinnaker no wings)	1.138	2	175	5.47	5.338	2.5	15.5	8.35	4.15	5.687					2	B	1	
Hobie Pacific (Spinnaker no wings)	1.091	2	181	5.47	5.338	2.5	15.5	8.35	4.15	5.687	18.1				2	B	1	
Hobie Cat T1	1.456	2	120	4.04	4.04	2.13	9.987	5.76	2.25	3.7					1		1	
Hobie Cat T1 Spinnaker	1.399	2	125.8	4.04	4.04	2.13	9.987	5.76	2.25	3.7	10.4				1		1	
Hobie Teddy	1.594	3	118	3.91		2.15	8.5	5.73	2.1	4.11	8.1				1		0	
Hobie Tiger F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4		2		2	
Hobie Twixxy	1.431	3	139	4.38		2.3	10.26	6.48	2.26	4.43	11				2		1	
Hobie Wave	1.496	2	114	3.99	3.84	2.13	10	5.56	2.22	3.59						B	0	
Hobie Wildcat F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4		2		2	

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SMS	SH	LF
Hurricane 4.9	1.140	2	141	4.9	4.9	2.44	14.87	7.73	4.56	5.09			0.57	1	B	0		
Hurricane 5.5	1.048	2	175	5.48	5.38	2.44	15.88	8.15	5	5.45	21		0.531	2	B	0		
Hurricane 5.9	1.051	2	173	5.9	5.753	2.44	17.59	8.465	5.79	5.66			0.57	2	B	0		
Hurricane 5.9 Spinnaker	1.002	2	173	5.9	5.753	2.44	17.59	8.465	5.79	5.66	21		0.57	2	B	0		
Hurricane 5.9 Sport	1.021	2	184	5.9	5.753	2.44	17.59	8.465	5.01	5.471	21		0.57	2	B	0		
Hurricane 5.9 SX	1.025	2	186	5.9	5.753	2.44	16.93	8.43	4.47	5.142	21		0.57	2	B	1		
Hurricane 500	1.187	2	152	4.87	4.87	2.4	14.83	7.912	3.89	4.855				2	B	0		
Hurricane 500 Spinnaker	1.106	2	160	4.87	4.87	2.4	13.7	7.91	5.9	5.65	19			2	B	0		
KL 15.5 - SL 15.5	1.230	2	150	4.8	4.75	2.35	12.4	6.7	2.8	4.65	14			2	B	1		
KL 16	1.174	2	151	4.88	4.88	2.21	12.7	7.05	3.65	4.3	16.3			2	B	1		
KL 17 Power	1.146	2	150	5.18	5.1	2.39	13.6	7.6	3	3.9	16.3			2	B	1		
KL 17 Regate	1.171	2	172	5.18	5.15	2.4	16.5	8	3.2	4.9				2	B	1		
KL 17 Regate Spinnaker	1.122	2	178	5.18	5.15	2.4	16.5	8	3	4.9	19			2	B	1		
KL 17.5 Tonic (without Spinnaker)	1.190	2	150	5.18	5.12	2.35	13.6	8	3	4.5				2	B	1		
KL 18 Regate	1.096	2	167	5.48	5.48	2.59	18.25	8.5			19		0.8	2	B	1		
KL Booster	1.133	2	155	5.03	4.97	2.35	14.37	7.6	3.4	4.93	17			2	B	1		
KL Phoenix F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
M by Erplast	1.500	2	153.85	4.22	4.22	2.29	8.766	6.142	2.471	3.683				1		1		
M Race by Erplast	1.414	2	160.7	4.22	4.22	2.29	9.469	6.153	2.542	3.68	10.416			2		1		
Magic F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Mattia 14	1.484	2	105	4.24	4.24	1.9	7.5	5.55	1.5	2.6	7		0.6	2	B	0		
Mattia 16	1.248	2	135	4.9	4.88	2.29	11.2	6.6	2.3	3.7	9.5		0.6	2	B	0		
Mattia 17	1.041	2	148	5.345		2.5	14.981	7.79	3.75	5.245	18		1.025	2		1		
Mattia 18 (104)	1.114	2	173	5.49	5.49	2.49	15.81	8.754	3.57	5.364			0.76	2	B	0		
Mattia 18 (104) Spinnaker	1.063	2	180	5.49	5.49	2.49	15.7	8.75	3.7	5.8	19		0.76	2	B	0		
Mattia 18 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Mattia 18 Raid Spinnaker	1.022	2	176	5.52	5.52	2.6	17.63	8.74	4.5	5.63	21		0.72	2	B	0		
Mattia 20	1.040	2	187	6.08	6.08	2.6	17.07	9.22	4.45	5.96			0.76	2	B	1		
Mattia 20 Sloop	1.005	2	200	6.08	6.08	3.01	17.8	8.85	4	5.5	21		0.76	2	B	0		
Mattia 20 Spinnaker	1.029	2	200	6.08	6.08	2.6	21.75	10.7			21		0.76	2	B	1		
Mattia 20 Venti	1.017	2	200	6.08	6.08	2.59	17.8	8.75	4	5.5	21		0.76	2	B	0		
Mattia Declic	1.226	2	135	4.9	4.9	2.29	12.5	6.6	3.1	3.7	10			2	B	0		
Mattia Esse	1.089	2	157	5.48	5.46	2.21	13.94	7.75	3.3	4	15.5		0.715	2	B	1		
Mattia Esse Solo	1.189	1	151	5.48	5.46	2.21	13.94	7.75					0.715	1	B	1		
Mattia Esse Sport	1.042	2	160	5.52		2.42	14.6	7.64	4.15	5.44	19		0.9	2		1		
Mattia Esse Sport Solo	1.091	1	155	5.52	5.52	2.42	14.6	7.64			19		0.9	1		1		
Mattia Flash F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Mattia Smile	1.140	2	170	5.52		2.42	13.94	7.47	3.65	4.93	15.5			2		0		
Mattia Smile Sport	1.100	2	165	5.52		2.42	14.6	7.64	4.15	5.74	17.5			2		0		
Miracle 20	1.016	2	185	5.94	5.77	2.59	16.87	8.98	4.66	5.52	20.5		0.8	2	B	0		
Miracle 20 (without Spinnaker)	1.068	2	185	5.94	5.77	2.59	16.87	8.98	4.66	5.52			0.8	2	B	0		
Mystere 2000 F20	0.987	2	198	6	6.02	2.6	19.74	8.8	4.76	6.25	24		0.585	2		1		
Mystere 5.0	1.197	2	144	5	4.95	2.5	12.52	7.8	4.36	5.56				1	B	0		

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SM	SSH	LF
Mystere 5.0 XI	1.143	2	146.1	5	4.96	2.5	14.31	8.02	4.56	5.278				2	B	1		
Mystere 5.5 Fun	1.097	2	185	5.57	5.54	2.514	16.91	8.35	5.69	5.358				2	B	1		
Mystere 5.5 Master	1.062	2	191	5.57	5.54	2.5	18.16	8.37	5.692	5.8			0.585	2	B	1		
Mystere 5.5 Master Spinnaker	1.018	2	197	5.57	5.54	2.5	18.16	8.37	5.692	5.8	21.08		0.585	2	B	1		
Mystere 6.0	0.993	2	218	6.01	6	2.59	19.74	8.8	5.38	5.77	24		0.585	2	B	1		
Mystere Twister F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Nacra 15	1.098	2	150	4.7		2.34	13.6	7.52	3.3	4.6	16.46		0.95	2		1		0.02
Nacra 16 Solo curved foils	1.052	1	134	5	5	2.5	15	8.1			17.5		1	1		1		0.02
Nacra 16 Double curved foils	1.027	2	138	5	5	2.5	15	8.1	3.7	5.64	17.5		1	2		1		0.02
Nacra 16 Solo	1.069	1	134	5	5	2.5	15	8.1			17.5		1.18	1		1		
Nacra 16 Double	1.043	2	138	5	5	2.5	15	8.1	3.7	5.64	17.5		1.18	2		1		
Nacra 17 C foils	0.995	2	146.6	5.25	5.25	2.59	16.17	8.65	4.03	5.818	18.95		1.16	2		1		0.015
Nacra 17 Olympic Class full foiler	0.977	2	163	5.25	5.25	2.59	16.17	8.65	4.026	5.75	17.572	68.82	1.522	2		1		0.04
Nacra 18m ²	1.090	1	170	5.47	5.35	3.3	17.79	9.48					0.763	1	B	1		
Nacra F20 Carbon	0.881	2	165	6.2	6.2	3.2	21.07	10.03	5.32	6.947	27.9		1.05	2		1		0.015
Nacra 20 One Design	0.966	2	192	6.12	6.1	2.6	19.2	9	4.72	6.26	25		0.97	2	B	1		
Nacra F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Nacra 4.5	1.276	2	142	4.5	4.35	2.45	13.23	7.21	3.35	4.49				2	B	0		
Nacra 4.5 Solo	1.328	1	139	4.5	4.35	2.45	13.23	7.21						1	B	0		
Nacra 460	1.277	2	142	4.54	4.54	2.35	12.3	7.3	2.88	4.42				2	B	1		
Nacra 460 Solo	1.311	1	139	4.54	4.54	2.35	12.3	7.3						1	B	1		
Nacra 460 Solo Spinnaker	1.241	1	146	4.54	4.54	2.35	12.3	7.3			15			1	B	1		
Nacra 460 Sport	1.214	2	149	4.54	4.54	2.35	12.3	7.3	3.15	4.84	15			2	B	1		
Nacra 5.0 Cat Boat	1.259	1	154	5.08	5.07	2.5	14.08	7.91						1	B	0		
Nacra 5.0 Double	1.165	2	147	5.08	5.07	2.5	14.08	7.91	4.3	4.66				2	B	0		
Nacra 5.0 Double Spinnaker	1.124	2	153	5.08	5.07	2.5	14.08	7.91	4.3	4.66	14			2	B	0		
Nacra 5.2	1.121	2	155	5.14	5.14	2.44	15.5	7.85	4.12	5			0.763	2	B	0		
Nacra 5.2 Spinnaker	1.077	2	161	5.14	5.14	2.44	15.5	7.85	4.12	5	16.3		0.763	2	B	0		
Nacra 5.5 Raid	1.088	2	176	5.47	5.45	2.59	16.26	8.44	4.72	5.687			0.763	2	B	0		
Nacra 5.5 Raid Spinnaker	1.037	2	182	5.47	5.45	2.59	16.36	8.44	4.72	5.687	21		0.763	2	B	0		
Nacra 5.5 SL	1.067	2	176	5.47	5.45	2.59	16.356	8.436	5.85	5.79			0.763	2	B	0		
Nacra 5.5 SL Spinnaker	1.024	2	182	5.47	5.45	2.59	16.356	8.436	5.85	5.79	19.5		0.763	2	B	0		
Nacra 5.7 Race	1.122	2	166	5.65	5.46	2.5	15.459	8.54	5.018	4.991				2	B	0		
Nacra 5.7 Race Spinnaker	1.083	2	174	5.65	5.46	2.5	15.459	8.54	5.018	4.991	16			2	B	0		
Nacra 5.8 Spinnaker	1.019	2	196.5	5.85	5.82	2.5	16.71	7.75	5.31	5.42	24		0.79	2	B	0		
Nacra 500 Solo	1.232	1	147	5.08	5.08	2.44	14.15	7.75						1	B	1		
Nacra 500 Solo Spinnaker	1.166	1	154	5.08	5.08	2.44	14.15	7.75			17			1	B	1		
Nacra 500 Double	1.171	2	150	5.08	5.08	2.44	14.15	7.75	3.52	5.05				2	B	1		
Nacra 500 Sport Spinnaker	1.118	2	157	5.08	5.08	2.44	14.15	7.75	3.71	5.52	17			2	B	1		

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SMS	SH	LF
Nacra 570 (without Spinnaker)	1.093	2	163	5.65	5.65	2.5	16.55	8.55	4.55	5.05				2	B	1		
Nacra 570 Sport Spinnaker	1.043	2	170	5.65	5.65	2.5	16.55	8.55	4.55	6	21			2	B	1		
Nacra 580 (without Spinnaker)	1.062	2	188	5.85	5.85	2.6	17.57	8.55	4.55	5.53			0.55	2	B	1		
Nacra 580 Sport Spinnaker	1.011	2	195	5.85	5.85	2.6	16.56	9	4.68	5.68	23		0.55	2	B	1		
Nacra 6.0 Spinnaker	0.992	2	202	6.07	5.77	2.59	17.48	9.34	6.23	6.12	24		0.79	2	B	0		
Nacra 6.0 Raid Spinnaker	1.006	2	206	6.07	5.77	2.59	17.48	9.34	5.27	6	25		0.79	2	B	0		
Nacra 6.0 SE Spinnaker	0.979	2	205	6.07	5.77	3.05	19.47	9.23	5.64	6.74	22.56		0.79	2	B	0		
Nacra Blast	1.181	2	150	4.82	4.82	2.45	13.7	7.05	3.27	4.78	15.7			2	B	0		
Nacra F17 Sloop	1.045	2	155	5.22	5.22	2.44	15.317	8.72	3.88	5.64	19		0.78	2		1		
Nacra F17 Solo	1.075	1	151	5.22	5.22	2.44	15.25	8.55			19		0.78	1		1		
Nacra F20 Carbon FCS	0.860	2	192	6.2	6.2	3.2	21.066	10.03	5.32	6.947	27.9		2.35	2		1	0.04	
Nacra Infusion F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Nacra Inter17 XI Solo	1.179	1	157	5.22	5.22	2.59	13.84	8.16					0.982	1		1		
Nacra Inter17 XI Solo Spinnaker	1.108	1	163	5.22	5.22	2.59	13.84	8.16			19		0.982	1		1		
Nacra Inter 18 F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2		2		
Nacra Inter 20 F20	0.970	2	190	6.1	6.1	2.59	18	8.9	4.85	6.36	25		0.97	2		1		
New Cat 14	1.404	2	125	4.2	4.1	2.2	10	6.2	3.2	4.05				1	B	0		
New Cat 14 Spinnaker	1.348	2	128	4.2	4.1	2.2	10	6.2	3.2	4.05	10.55			1	B	0		
New Cat F1	1.427	2	125	4.2	4.1	2.2	10.26	6.2	2.5	4.05				1	B	0		
New Cat F1 Spinnaker	1.369	2	128	4.2	4.1	2.2	10.26	6.2	2.5	4.05	10.55			1	B	0		
New Cat F2	1.470	2	120	4.2	4.1	2.2	9.22	5.81	2.5	4				1	B	0		
New Cat Swing	1.231	2	178	4.9		2.35	11.5	7.32	3.15	5.17	16			2		1		
New Marine 16 Swing Cat Boat	1.250	1	178	4.9	4.9	2.35	11.5	7.32			18.5			1	B	1		
New Marine 16 Swing Double	1.192	2	178	4.9	4.9	2.35	11.5	7.32	4.15	5.17	18.5			1	B	1		
Paper Tiger	1.328	1	73	4.267	4.1	2.133	9.3	6.096					0.5	1	B	0		
Prindle 15	1.322	1	118	4.56	4.47	2.35	13.083	6.93						1	B	0	SH	
Prindle 16	1.243	2	136	4.91	4.57	2.44	13.903	7.373	3.517	4.7				2	B	0	SH	
Prindle 18	1.149	2	152	5.49	5.18	2.41	15.254	7.87	4.386	4.85				2	B	0		
Prindle 18-2	1.091	2	170	5.49	5.24	2.59	16.928	8.01	4.87	5.112			0.495	2	B	1		
Prindle 18-2 Spinnaker	1.047	2	176	5.49	5.24	2.59	16.928	8.01	4.87	5.112	18.5		0.495	2	B	1		
Prindle 19	1.065	2	175	5.88	5.64	2.59	17.785	8.43	5.11	5.511			0.495	2	B	0		
Prindle 19 Spinnaker	1.011	2	181	5.88	5.64	2.59	18.17	8.55	4.74	5.8	25		0.495	2	B	0		
Prindle 19 Pacer	1.082	2	186	5.88	5.64	2.59	17.622	8.63	4.54	5.743			0.495	2	B	0		
Prindle 19 Pacer Spinnaker	1.017	2	192	5.88	5.64	2.59	18.08	8.45	5	5.5	25		0.495	2	B	0		
Prindle Play Cat	1.296	1	115	5.1	5.1	2.15	11.61	6.5						1		0		
Raptor F16	1.026	2	107	5	5	2.5	15	8.1	3.7	6	17.5		0.75	2		1		
RS Cat 16 Club	1.369	1	134	4.7	4.7	2.35	10.5	6.74								1		
RS Cat 16 S	1.343	2	137	4.7		2.35	10.5	6.79	2.35	4.4				1		1		
RS Cat 16 XL	1.281	2	140	4.7		2.35	10.5	6.79	2.35	4.4	12.82			2		1		
S9 Stunt Solo	1.112	1	85	4.16	4.16	2.38	9.635	6.87	2.314	4.528			1.674	1		1	0.04	
Shadow	1.123	1	99	4.8	4.8	2.4	12.95	7.45			9.9		0.64	1		1		

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SMS	SH	LF
Shadow X	1.113	1	102	4.8	4.8	2.4	12.95	7.45			13.7		0.64	1		1		
Shearwater	1.257	2	160	5.03	4.82	2.29	12.6	6.45	3.4	4.66			0.6	2	B	0		
Shearwater Spinnaker	1.189	2	165	5.03	4.82	2.29	12.6	6.45	3.4	4.66	17.9		0.6	2	B	0		
Shockwave F18	1.000	2	180	5.52	5.52	2.6	17	9.05	4.15	5.73	21		1.4	2			2	
SL 15.5 - KL15.5	1.230	2	150	4.8	4.75	2.35	12.4	6.7	2.8	4.65	14			2	B		1	
SL 16	1.141	2	148	4.8	4.75	2.35	13.8	7.45	3.8	5.3	17			2	B		1	
SL 5.2	1.088	2	158.5	5.18		2.53	15.48	7.89	4.2	5.36	17.6			2			1	
Spitfire Solo (without jib)	1.085	1	137	4.97	4.97	2.52	15.5	7.91			18		0.76	1			1	
Spitfire	1.042	2	139.5	4.97	4.97	2.52	15.5	7.91	4.52	5.574	18		0.76	2			1	
Spitfire S	1.038	2	139.5	4.97	4.97	2.52	15.62	7.91	4.52	5.574	19		0.76	2			1	
Sprint 15 Cat Boat	1.404	1	104	4.54	4.336	2.13	10.5	6.13								B		0
Sprint 15 DX	1.226	1	102	4.54	4.336	2.13	11.41	6.275	2.26	3.395				1	B		1	
Sprint 15 GTI	1.397	2	104	4.54	4.336	2.13	10.5	6.13	1.97	3.01				1	B		0	
Sprint 15 Sport Solo	1.274	1	104	4.54	4.336	2.13	10.5	6.13	1.97	3.01				1	B		0	
Stealth F16 Double	1.015	2	107	5	5	2.5	15	8.1	3.7	5.64	17.5		1.1	2			1	
Stealth F16 Solo	1.021	1	104	5	5	2.5	15	8.1			17.5		1.1	1			1	
Stingray 5.5	1.030	2	130	5.486	5.45	2.5	17.053	8.509	5.25	5.224			0.6	2	B		1	
Supercat 15 Solo	1.220	1	133.8	4.648	4.5	2.44	15.155	7.559					0.61	1	B		0	
Supercat 15 Double	1.154	2	133.8	4.648	4.5	2.44	15.155	7.559	4.552	4.481			0.61	2	B		0	
Supercat 17	1.081	2	147.4	5.182	5.078	2.44	16.994	8.412	5.11	4.785			0.762	2	B		0	
Supercat 19	1.046	2	170.1	5.791	5.715	2.44	18.945	8.412	5.11	4.785			0.914	2	B		0	
Supercat 20	0.974	2	204.1	6.096	5.791	3.66	20.482	9.693	6.968	5.974			1.067	2	B		0	
Supercat 20 Tall rib	0.940	2	210.9	6.096	5.791	3.66	25.449	11.156	6.968	5.974			1.067	2	B		0	
Thundercat 18	1.080	2	163	5.47	5.35	2.5	16.86	8.77	4.15	5.151			0.57	2	B		1	
Tomahawk F20	0.997	2	187	6.08		3.05	22.23	10.58			21		0.97	2			1	
Topaz 14C	1.439	2	106	4.25		2.06	9.1	6.05	1.9	3.87				2			1	
Topaz 14CX Spinnaker	1.380	2	110	4.25		2.06	9.1	6.05	1.9	3.87	9.9			2			1	
Topaz 14Xtreme	1.283	1	110	4.25	4.25	2.06	11.25	6.57			9.9			1			1	
Topaz 16C	1.314	2	144	4.7		2.265	11.4	6.87	2.57	4.265				1			1	
Topaz 16CX	1.256	2	148	4.7		2.265	11.4	6.87	2.57	4.265	13.53			2			1	
Topaz 16S	1.386	2	141	4.7		2.265	9.85	6.87	2	4.2				1			1	
Topaz 16S Spinnaker	1.315	2	145	4.7		2.265	9.85	6.87	2	4.2	13.53			2			1	
Topcat 4.5 Solo	1.233	1	120	4.5	4.5	2.21	11	6.4	2.5	3.7				1			1	
Topcat Chico	1.755	2	85	3.6		1.98	5.8	5.3	1.4	3.38				1			0	
Topcat F1	1.363	1	121	4.77	4.55	2	11.2	6.6						1	B		0	
Topcat F2	1.299	2	124	4.77	4.55	2	11.2	6.6	3.6	3.8				1	B		0	
Topcat K1 Classic	1.156	2	175	5.5	5.5	2.5	14.2	8.88	4.7	5.76				1			0	
Topcat K1 Streamcut	1.090	2	177	5.5	5.5	2.5	16.7	8.88	5.4	5.875				2			1	
Topcat K1 Regatta Spinnaker	1.046	2	180	5.5	5.5	2.5	16.7	8.88	5.4	5.875	18.8			2			1	
Topcat K2 Classic	1.184	2	160	5.18	5.07	2.44	13.5	8.15	4.2	5.05				2	B		0	
Topcat K2 Streamcut Regatta	1.145	2	162	5.18	5.07	2.44	15.9	8.15	4.2	5.05				2	B		1	
Topcat K2 Spinnaker	1.100	2	165	5.18	5.07	2.44	15.9	8.15	4.2	5.05	16.3			2	B		1	
Topcat K2X Classic	1.178	2	160	5.17	5.17	2.44	13.5	8.15	4.2	5.05				2			0	
Topcat K2X Streamcut	1.139	2	162	5.17	5.17	2.44	15.9	8.15	4.2	5.05				2			1	
Topcat K2X Regatta Gennaker	1.091	2	165	5.17	5.17	2.44	15.9	8.15	4	5.05	17.7	69		2			1	

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLI	CSPI	MGR	LB	TRAP	B27	SMS	SH	LF
Topcat K3 Classic	1.243	2	147	4.92	4.84	2.21	13	7.5	3.2	4.31				2	B	0		
Topcat K3 Streamcut	1.203	2	147	4.92	4.84	2.21	14.9	7.5	3.2	4.31				2	B	1		
Topcat K3 Regatta Spinnaker (no jib)	1.152	2	153	4.92	4.84	2.21	14.9	7.5	3.2	4.31	16.3			2	B	1		
Topcat K3X Solo Streamcut Jib Spi	1.057	1	137	4.92	4.92	2.44	14.3	8.15	3.2	5.1	14.7			1		1		
Topcat K3X Solo Regatta with Gennaker DS	1.116	1	137	4.92	4.92	2.44	15.3	8.27			17.7			1		2		
Topcat K4X Classic Solo	1.337	1	115	4.5	4.5	2.21	11	6.4						1		1		
Topcat K4X Classic with Jib	1.349	2	115	4.5	4.5	2.21	11	6.4	2	3.7						1		
Topcat K4x Streamcut with Jib	1.302	2	115	4.5	4.5	2.21	13.1	6.4	2	3.7				1		1		
Topcat K4X with Reacher	1.253	2	120	4.5	4.5	2.21	13.1	6.4	2	3.7	10	60		2		1		
Topcat Spifire 2.3	1.121	2	168	5.49	5.25	2.3	16.7	8.45	5.4	5.7				2	B	0		
Topcat Spitfire 2.5	1.116	2	175	5.49	5.25	2.5	16.7	8.73	5.4	5.875				2	B	0		
Tornado	0.950	2	165	6.09	5.938	3.05	17.53	8.91	5.38	6.3	25.87		0.6	2	B	1		
Tornado 24m ² Spinnaker	0.979	2	175	6.09	5.938	3.05	16.87	8.91	5.2	5.62	24		0.6	2	B	0		
Tornado Classic	1.037	2	165	6.09	5.938	3.05	16.812	8.89	5.2	5.62			0.6	1	B	0		
Tropic GTI	1.141	2	156	5.45	5.45	2.45	13.745	8.59	3.302	5.02			0.62	2	B	0		
Tropic GTI Spinnaker	1.093	2	161	5.45	5.45	2.45	13.95	8.6	3.1	5	16.3		0.62	2	B	0		
Unicorn	1.177	1	108	5.48	5.28	2.28	13.56	7.25					0.6	1	B	0		
Ventilo 18	1.046	2	147	5.48	5.4	2.5	15.15	8.5	3.05	4.8	19		0.73	2	B	1		
Ventilo 18 HT	1.014	2	130	5.5	5.5	2.5	20	10.3			20		1.02	2		1		
Ventilo 609	0.970	2	162	6.09	5.83	2.5	17.75	9.25	4.36	6.05	24		1.02	2	B	1		
Ventilo M3 Cat Boat Spinnaker	0.988	2	175	6.09	6.09	2.9	21.84	10.5			24		1.02	2	B	1		
Ventilo Quickie	1.028	1	110	5.48	5.4	2.5	15.15	8.5			14		0.73	1	B	1		
Ventilo Zippo	1.070	2	134	5	4.95	2.5	14.1	7.55	3.7	5.5	17		0.78	2	B	1		
Warp 18	1.142	2	169	5.48	5.48	2.5	15.955	7.622	4.4	4.65				2	B	1		
Warp 18 Spinnaker	1.094	2	175	5.48	5.48	2.5	15.94	7.62	3.87	4.32	19			2	B	1		
Whisper	0.952	2	114	5.4	5.4	3.2	14.301	8.51	3.515	5.752	12.702	55.65	2.2	2		1		0.04
The following have been given individual SCHRS ratings																		
Cirrus Ocean BF (FRA 97492)	1.065	2	189	5.53	5.53	2.525	15.127	7.89	4.26	5.738	18.279		0.605	2		1		
M20 Flying Vampire KS (GBR2)	0.837	2	199	6.075	6.075	4.32	21.289	10.5	6.305	6.75	22.466	59.13	2.4	2		2		0.04
M20 Flying Vampire WS (GBR1)	0.833	2	199	6.075	6.075	4.32	22.608	10.5	6.147	6.769	22.466	59.13	2.4	2		2		0.04
M3 Flyer LV (SUI 190)	1.003	1	83.9	5.486	5.486	2.29	13.588	8.7			15.417		0.687	1		1		
Mattia F500 Double FS (FRA118)	1.047	2	134.2	5	5	2.5	14.751	7.862	3.685	5.15	18.772		0.962	2		1		
Mattia F500 Double FT (FRA104)	1.047	2	133.4	5	5	2.5	14.742	7.926	3.651	5.056	18.407		0.962	2		1		
Mattia F500 Solo FS (FRA118)	1.083	1	131.2	5	5	2.5	14.751	7.862			17.413		0.962	1		1		
Mattia F500 Solo FT (FRA104)	1.083	1	132.1	5	5	2.5	14.742	7.926			17.42		0.962	1		1		

CLASS	RATING	CREW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	MGR	LB	TRAP	B27	SMS	SSH	LF
Nacra 16 Sq Australia solo SD (505)	1.129	1	140.8	5.055	5.055	2.47	16	8.5					0.62	1	B	1		
Nacra 16 Sq Australia solo spinnaker SD (505)	1.081	1	147.1	5.055	5.055	2.47	16	8.5			16		0.62	1	B	1		
Proto EVO YV (FRA175)	0.895	2	195.5	6.2	6.2	3.2	21.066	10.03	5.32	6.947	28.044		1.05	2		1		0.02
Proto EVO YV (SUI 23)	0.898	2	199.7	6.2	6.2	3.2	21.066	10.03	5.32	6.947	27.9		1.05	2		1		0.02
Ventilo 609 (SUI)	0.939	2	174	6.09	6.09	2.59	20.462	9	4.479	5.729	24.646	49.12	1	2		1		
Ventilo Pulso SC (SUI 118)	0.969	2	145	6.1	6.1	2.86	22.357	10.04			23.708		1	2		1		
Ventilo Pulso VM (SUI 101)	0.984	2	163	6.085	6.085	2.905	22.681	9.8			23.587		1.004	2		1		
Viper Foiling Proto (16)	1.011	2	156	5	5	2.5	15	8.1	3.7	5.64	17.113	71.41	1.325	2		1		0.04